

The use of zebrafish embryos as an alternative approach for ecotoxicity testing

Submitted by Adam David Lillicrap to the University of Exeter as a thesis for the degree of Master of Philosophy in Biological Sciences, March 2010.

This thesis is available for Library use on the understanding that it is copyright material and that no quotation from the thesis may be published without proper acknowledgement.

I certify that all material in this thesis which is not my own work has been identified and that no material has previously been submitted and approved for the award of a degree by this or any other University.



(signature)

ABSTRACT

The use of fish embryos for acute ecotoxicity tests has been widely documented and over recent years there has been significant progress in the use of zebrafish embryos as an alternative approach to juvenile fish. However, there are still some questions preventing the unilateral adoption of this surrogate life stage as an alternative to the use of juvenile fish for regulatory testing purposes. Many of the concerns that have been raised include the absolute sensitivity of fish embryos. For example, published work has shown that fish embryos are not as sensitive as other more developed life-stages (such as the eleutheroembryos) to certain classes of compounds including, but not exclusively, cationic polymers. However, there is limited understanding of why fish embryos do not behave similarly and exhibit a toxic response to these classes of chemicals. One possible reason is that fish embryos have a protective envelope called a chorion, which could prevent these certain chemicals from passing into the embryo. The research described within this thesis has focussed on understanding the need for alternative approaches in ecotoxicity testing, particularly regarding the use of fish embryos. In addition, the developmental ontogeny of zebrafish embryos has also been studied. Finally, the research investigated whether the chorion is indeed a barrier to entry to certain chemicals, and a technique for quantifying the proportion of bio-available chemical within the different components of the embryo was developed.

CONTENTS	Page
CHAPTER 1: INTRODUCTION	9
The need for alternative test methods	11
<i>The 3Rs</i>	12
<i>The use of fish in environmental toxicity testing</i>	13
<i>Potential alternatives to the use of fish - a 3Rs approach</i>	14
<i>Reduction</i>	15
<i>Replacement</i>	16
<i>Refinement</i>	19
The use of fish embryos in ecotoxicology	20
<i>Benefits of using fish embryos</i>	20
<i>The use of fish embryos in ecotoxicology</i>	21
Research needs and objectives	27
CHAPTER 2: DEVELOPMENTAL ONTOGENY OF ZEBRAFISH EMBRYOS	28
Introduction	28
Fish embryology	29
<i>Embryogenesis in zebrafish</i>	30
Investigations of the developmental rates of zebrafish embryos	31
Materials and methods	32
<i>Dilution water</i>	33
<i>Test temperature and photoperiod</i>	33
<i>Test species and justification</i>	34
<i>Procedure</i>	34

<i>Experiment 1: Investigations of the normal ontogeny of the zebrafish embryo</i>	35
<i>Experiment 2: Development of zebrafish embryos cultured at different temperatures</i>	35
Results and discussion	37
<i>Investigations of the normal ontogeny of the zebrafish embryo (experiment 1)</i>	37
<i>Development of zebrafish embryos cultured at different temperatures (experiment 2)</i>	41
Summary	46
CHAPTER 3 INVESTIGATIONS INTO THE STRUCTURE AND FUNCTION OF ZEBRAFISH CHORIONS	48
Introduction	48
Basic structural composition of fish chorions	48
Ultra-structural analysis of the zebrafish chorion	49
Permeability of the chorion	51
Possible routes for chemicals to enter into zebrafish embryos across the chorion	53
Electron microscopic investigations into the structure of the chorion of zebrafish embryos	57
Materials and methods	58
Results	58
<i>Investigations into the structure of the external surface of the chorion</i>	59
<i>Investigations into the structure of the internal surface of the chorion</i>	63

<i>Investigations into the structure of the chorion of fathead minnows</i>	65
Conclusions	68
CHAPTER 4: INVESTIGATIONS INTO THE UPTAKE OF RADIOLABELLED COMPOUNDS INTO ZEBRAFISH EMBRYOS	71
Materials and methods	72
<i>Test substance</i>	72
<i>Test conditions</i>	73
<i>Combustion method used prior to liquid scintillation counting</i>	73
<i>Method used for liquid scintillation counting</i>	74
Phase 1: Preliminary investigations	76
<i>Dissection of embryos</i>	76
Results	77
<i>Determination of [3-¹⁴C]Fluoranthene in zebrafish embryos</i>	77
<i>Determination of [4-¹⁴C]Estradiol in zebrafish embryos</i>	79
Phase 2: Optimisation of experimental procedures for determining the uptake of chemicals into zebrafish embryos	80
Experiment 1: Uptake of [3- ¹⁴ C]Fluoranthene and [4- ¹⁴ C]Estradiol into zebrafish embryos following 48 hours exposure	81
<i>Experimental details</i>	81
<i>Experiment 1: Results</i>	82
<i>Uptake of [3-¹⁴C]Fluoranthene</i>	82
<i>Uptake of [4-¹⁴C]Estradiol</i>	83
<i>Experiment 1: Discussion</i>	84
Experiment 2: Uptake of [3- ¹⁴ C]Fluoranthene and [4- ¹⁴ C]Estradiol into zebrafish embryos after 24 and 48 hours exposure	85

<i>Experimental details</i>	85
<i>Experiment 2: Results</i>	86
<i>Uptake of [3-¹⁴C]Fluoranthene into zebrafish embryos</i>	86
<i>Uptake of [3-¹⁴C]Estradiol into zebrafish embryos</i>	88
<i>Experiment 2: Discussion</i>	89
Experiment 3: Uptake of [3- ¹⁴ C]Fluoranthene and [4- ¹⁴ C]Estradiol following pre treatment with halomid	91
<i>Experimental details</i>	91
<i>Experiment 3: Results</i>	92
<i>Uptake of [3-¹⁴C]Fluoranthene into zebrafish embryos pre-treated with halomid</i>	92
<i>Uptake of [4-¹⁴C]Estradiol into zebrafish embryos pre-treated with halomid</i>	93
Experiment 4: Uptake of [3- ¹⁴ C]Fluoranthene and [4- ¹⁴ C]Estradiol into the different partitions of zebrafish embryos	94
<i>Experimental details</i>	94
<i>Experiment 4: Results</i>	95
<i>Uptake of [3-¹⁴C]Fluoranthene into the different partitions of zebrafish embryos</i>	95
<i>Uptake of [4-¹⁴C]Estradiol into the different partitions of zebrafish embryos</i>	96
<i>Experiment 4: Discussion</i>	99
Experiment 5: Uptake of [3- ¹⁴ C]Fluoranthene and [4- ¹⁴ C]Estradiol into the different partitions of zebrafish embryos post pre-treatment with halomid	101

<i>Experimental details</i>	101
<i>Experiment 5: Results and discussions</i>	102
Conclusions	103
CHAPTER 5. INVESTIGATIONS INTO PERMEABILISING THE CHORION OF ZEBRAFISH EMBRYOS USING CHEMICAL MANIPULATION	109
Introduction	109
Investigations into increasing the permeability of zebrafish embryos	110
Materials and methods	110
<i>Test substance</i>	111
<i>Test conditions</i>	113
Procedure	114
<i>Pronase and saponin viability assessments</i>	115
<i>SEM images of zebrafish embryos post treatment with pronase or saponin</i>	116
Results	117
<i>Results from the pronase and saponin viability assessments</i>	117
<i>Results from the investigations into the effect of pronase or saponin on the uptake of [3-¹⁴C]Estradiol into zebrafish embryos</i>	119
<i>SEM investigations into the effect of pronase on the structure of the chorion</i>	120
<i>SEM investigations into the effect of saponin on the structure of the chorion</i>	122
Discussion	123
<i>Pronase and saponin viability assessments</i>	123

<i>The effect of pronase or saponin on the uptake of [3-¹⁴C]Estradiol into zebrafish embryos</i>	125
<i>SEM investigations into the effect of pronase on the structure of the chorion</i>	126
Conclusions	126
CHAPTER 6. UPTAKE OF DIFFERENT MOLECULAR WEIGHT [3- ¹⁴ C]POLYETHYLENE GLYCOL (PEG) INTO ZEBRAFISH EMBRYOS	128
Introduction	128
Materials and Methods	129
<i>Test substance</i>	129
<i>Test conditions</i>	130
<i>Procedure</i>	130
Results	131
<i>Uptake of different molecular weight PEG into zebrafish embryos exposed for 24 hours</i>	132
<i>Uptake of PEG400 into zebrafish embryos</i>	134
<i>Uptake of PEG4000 into zebrafish embryos</i>	135
<i>Uptake of PEG40000 into zebrafish embryos</i>	138
Discussion	139
CHAPTER 7. CONCLUSIONS	144
BIBLIOGRAPHY	152
APPENDICES	160